Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
A. R. Fersht
I. Herskowitz
R. Laskey
V. Luzzati
J. H. Miller
M. F. Moody

QH
301
J73

Volume 191
5 September to 20 October 1986

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1986, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 191

Number 1, 5 September 1986

Ward, E. S. and Ellar, D. J., *Bacillus thuringiensis* var. *israelensis* δ-Endotoxin. Nucleotide Sequence and Characterization of the Transcripts in *Bacillus thuringiensis* and *Escherichia coli* 1

Ward, E. S., Ridley, A. R., Ellar, D. J. and Todd, J. A., *Bacillus thuringiensis* var. *israelensis* δ-Endotoxin. Cloning and Expression of the Toxin in Sporogenic and Asporogenic Strains of *Bacillus subtilis* 13

Alagona, G., Ghio, C. and Kollman, P. A., Simple Model for the Effect of Glu165 → Asp165 Mutation on the Rate of Catalysis in Triose Phosphate Isomerase . 23

Montañez, C., Bueno, J., Schmeissner, U., Court, D. L. and Guarneros, G., Mutations of Bacteriophage Lambda that Define Independent but Overlapping RNA Processing and Transcription Termination Sites 29

Wanner, B. L., Novel Regulatory Mutants of the Phosphate Regulon in *Escherichia coli* K-12 39

Choy, H. A., Romeo, J. M. and Geiduschek, E. P., Activity of a Phage-modified RNA Polymerase at Hybrid Promoters. Effects of Substituting Thymine for Hydroxymethyluracil in a Phage SP01 Middle Promoter 59

Ahmed, A., Evidence for Replicative Transposition of Tn*5* and Tn*9*. 75

Reynolds, A. E., Mahadevan, S., LeGrice, S. F. J. and Wright, A., Enhancement of Bacterial Gene Expression by Insertion Elements or by Mutation in a CAP–cAMP Binding Site 85

Blasquez, V., Stein, A., Ambrose, C. and Bina, M., Simian Virus 40 Protein VP1 is Involved in Spacing Nucleosomes in Minichromosomes. 97

Arata, T., Structure of the Actin–Myosin Complex Produced by Crosslinking in the Presence of ATP 107

Florentz, C. and Giegé, R., Contact Areas of the Turnip Yellow Mosaic Virus tRNA-like Structure Interacting with Yeast Valyl-tRNA Synthetase 117

Letters to the Editor

Honda, H., Nagashima, H. and Asakura, S., Directional Movement of F-actin *in Vitro* 131

Stiege, W., Atmadja, J., Zobawa, M. and Brimacombe, R., Investigation of the Tertiary Folding of *Escherichia coli* Ribosomal RNA by Intra-RNA Cross-linking *in Vivo* 135

Kypr, J. and Mrázek, J., Lambda Phage Protein Nu 1 Contains the Conserved DNA Binding Fold of Repressors 139

Lim, L. W., Xia, Z.-x., Mathews, F. S. and Davidson, V. L., Preliminary X-ray Crystallographic Study of Methanol Dehydrogenase from *Methylophilus methylotrophus* 141

Norris, G. E., Anderson, B. F., Baker, E. N., Baker, H. M., Gärtner, A. L., Ward, J. and Rumball, S. V., Preliminary Crystallographic Studies on Bovine Lactoferrin 143

Tykarska, E., Lebioda, L., Bradshaw, T. P. and Dunlap, R. B., Crystallization and Crystallographic Data for New Forms of Thymidylate Synthase from *Lactobacillus casei*. 147

Erratum 151

Number 2, 20 September 1986

Bacon, D. J. and Anderson, W. F., Multiple Sequence Alignment 153

Lawrence, N. P. and Altman, S., Site-directed Mutagenesis of M1 RNA, the RNA Subunit of *Escherichia coli* Ribonuclease P. The Effects of an Addition and Small Deletions on Catalytic Function 163

Mitchell, N. and Stöhrer, G., Mutagenesis Originating in Site-specific DNA Damage . 177

Gardner, J. F. and Nash, H. A., Role of *Escherichia coli* IHF Protein in Lambda Site-specific Recombination. A Mutational Analysis of Binding Sites 181

Mellado, R. P., Barthelemy, I. and Salas, M., *In Vivo* Transcription of Bacteriophage ϕ29 DNA Early and Late Promoter Sequences 191

Kalionis, B., Dodd, I. B. and Egan, J. B., Control of Gene Expression in the P2-related Template Coliphages. III. DNA Sequence of the Major Control Region of Phage 186 . 199

Kalionis, B., Pritchard, M. and Egan, J. B., Control of Gene Expression in the P2-related Temperate Coliphages. IV. Concerning the Late Control Gene and Control of its Transcription 211

Struhl, K., Yeast *HIS3* Expression in *Escherichia coli* Depends upon Fortuitous Homology between Eukaryotic and Prokaryotic Promoter Elements 221

Udvardy, A., Schedl, P., Sander, M. and Hsieh, T-s., Topoisomerase II Cleavage in Chromatin 231

Bachouchi, N., Garrigos, M. and Morel, J. E., MgATPase Activity of Myosin Subfragment 1. The Dimer if More Active than the Monomer 247

Riede, I., Drexler, K., Eschbach, M.-L. and Henning, U., DNA Sequence of the Tail Fiber genes 37, Encoding the Receptor Recognizing Part of the Fiber, of Bacteriophages T2 and K3 255

Drexler, K., Riede, I. and Henning, U., Morphogenesis of the Long Tail Fibers of Bacteriophage T2 Involves Proteolytic Processing of the Polypeptide (Gene Product 37) Constituting the Distal Part of the Fiber 267

Rickard, J. E. and Sheterline, P., Cytoplasmic Concentrations of Inorganic Phosphate Affect the Critical Concentration for Assembly of Actin in the Presence of Cytochalasin D or ADP. 273

Grafl, R., Lang, K., Wrba, A. and Schmid, F. X., Folding Mechanism of Porcine Ribonuclease. 281

Letters to the Editor

Menegatti, E., Guarneri, M., Bolognesi, M., Ascenzi, P. and Amiconi, G., Binding of the Bovine Basic Pancreatic Trypsin Inhibitor (Kunitz) to Human Lys^{77}–Plasmin 295

Marvin, D. A. and Folkhard, W., Structure of F-Pili: Reassessment of the Symmetry 299

Smith, D. L., Ringe, D., Finlayson, W. L. and Kirsch, J. F., Preliminary X-ray Data for Aspartate Aminotransferase from *Escherichia coli* 301

Number 3, 5 October 1986

Gilson, E., Rousset, J.-P., Charbit, A., Perrin, D. and Hofnung, M., *malM*, a New Gene of the Maltose Regulon in *Escherichia coli* K12. I. *malM* is the Last Gene of the *malK-lamB* Operon and Encodes a Periplasmic Protein 303

Rousset, J.-P., Gilson, E. and Hofnung, M., *malM*, a New Gene of the Maltose Regulon in *Escherichia coli* K12. II. Mutations Affecting the Signal Peptide of the MalM Protein 313

Tse-Dinh, Y.-C. and Wang, J. C., Complete Nucleotide Sequence of the *topA* Gene Encoding *Escherichia coli* DNA Topoisomerase I 321

Zumstein, L. and Wang, J. C., Probing the Structural Domains and Function *in Vivo* of *Escherichia coli* DNA Topoisomerase I by Mutagenesis. 333

Jayaram, M., Association of Reciprocal Exchange with Gene Conversion Between the Repeated Segments of 2-μm Circle 341

Scherer, S., Regulated Yeast Promoters Produced by DNA Rearrangements Selected *in Vivo* 355

Womble, D. D. and Rownd, R. H., Regulation of λdv Plasmid DNA Replication. A Quantitative Model for Control of Plasmid λdv Replication in the Bacterial Cell Division Cycle 367

Prentki, P., Teter, B., Chandler, M. and Galas, D. J., Functional Promoters Created by the Insertion of the Transposable Element IS*1* 383

Gelman, I. H. and Silverstein, S., Co-ordinate Regulation of Herpes Simplex Virus Gene Expression is Mediated by the Functional Interaction of Two Immediate Early Gene Products 395

Göttfert, M., Horvath, B., Kondorosi, E., Putnoky, P., Rodriguez-Quiñones, F. and Kondorosi, A., At Least Two *nodD* Genes are Necessary for Efficient Nodulation of Alfalfa by *Rhizobium meliloti*. 411

Goldschmidt-Clermont, M. and Rahire, M., Sequence, Evolution and Differential Expression of the Two Genes Encoding Variant Small Subunits of Ribulose Biphosphate Carboxylase/Oxygenase in *Chlamydomonas reinhardtii* 421

Nathan, P., Gomes, S. L., Hahnenberger, K., Newton, A. and Shapiro, L., Differential Localization of Membrane Receptor Chemotaxis Proteins in the *Caulobacter* Predivisional Cell 433

Anderson, L. K. and Eiserling, F. A., Asymmetrical Core Structure in Phycobilisomes of the Cyanobacterium *Synechocystis* 6701. 441

Vriend, G., Verduin, B. J. M. and Hemminga, M. A., Role of the N-terminal Part of the Coat Protein in the Assembly of Cowpea Chlorotic Mottle Virus. A 500 MHz Proton Nuclear Magnetic Resonance Study and Structural Calculations 453

Pinder, J. C., Weeds, A. G. and Gratzer, W. B., Study of Actin Filament Ends in the Human Red Cell Membrane 461

De Bernardin, W., Koller, T. and Sogo, J. M., Structure of *In-vivo* Transcribing Chromatin as Studied in Simian Virus 40 Minichromosomes. 469

Moazed, D., Van Stolk, B. J., Douthwaite, S. and Noller, H. F., Interconversion of Active and Inactive 30 S Ribosomal Subunits is Accompanied by a Conformational Change in the Decoding Region of 16 S rRNA 483

Lybrand, T. P., Brown, S. C., Creighton, S., Shafer, R. H. and Kollman, P. A., Computer Modeling of Actinomycin D Interactions with Double-helical DNA . . 495

Wang, C.-K. and Cheung, H. C., Proximity Relationship in the Binary Complex Formed Between Troponin I and Troponin C 509

Clore, G. M., Brünger, A. T., Karplus, M. and Gronenborn, A. M., Application of Molecular Dynamics with Interproton Distance Restraints to Three-dimensional Protein Structure Determination. A Model Study of Crambin 523

Clore, G. M., Martin, S. R. and Gronenborn, A. M., Solution Structure of Human Growth Hormone Releasing Factor. Combined Use of Circular Dichroism and Nuclear Magnetic Resonance Spectroscopy 553

Letters to the Editor

Larocca, D., Ecdysterone and Heat Shock Induction of Transfecting and Endogenous Heat Shock Genes in Cultured *Drosophila* Cells 563

Rio, P. and Leng, M., *N*-Hydroxyaminofluorene: A Chemical Probe for DNA Conformation 569

Biessmann, H. and Green, M. M., Molecular Analysis of Insertional Mutations in the *yellow* Gene Region of *Drosophila* 573

Nakagawa, H., Sugimoto, M., Kai, Y., Harada, S., Miki, K., Kasai, N., Saeki, K., Kakuno, T. and Horio, T., Preliminary Crystallographic Study of a Ribulose-1,5-bisphosphate Carboxylase–Oxygenase from *Chromatium vinosum* 577

Miki, K., Saeda, M., Masaki, K., Kasai, N., Miki, M. and Hayashi, K., Crystallization and Preliminary X-ray Diffraction Study of Ferrocytochrome c_2 from *Rhodopseudomonas viridis* 579

Clarke, M. L., Hofman, W. and Wray, J. S., ATP Binding and Crossbridge Structure in Muscle 581

Announcement 587

Number 4, 20 October 1986

Burger, G. and Werner, S., Mitochondrial Gene URFN of *Neurospora crassa* Codes for a Long Polypeptide with Highly Repetitive Structure 589

Ripley, L. S., Clark, A. and deBoer, J. G., Spectrum of Spontaneous Frameshift Mutations. Sequences of Bacteriophage T4 *rII* Gene Frameshifts. 601

Igo, M. M. and Losick, R., Regulation of a Promoter that is Utilized by Minor Forms of RNA Polymerase Holoenzyme in *Bacillus subtilis*. 615

Hogle, J. M., Maeda, A. and Harrison, S. C., Structure and Assembly of Turnip Crinkle Virus. I. X-ray Crystallographic Structure Analysis at 3·2 Å Resolution . . . 625

Sorger, P. K., Stockley, P. G. and Harrison, S. C., Structure and Assembly of Turnip Crinkle Virus. II. Mechanism of Reassembly *in Vitro* 639

Satchwell, S. C., Drew, H. R. and Travers, A. A., Sequence Periodicities in Chicken Nucleosome Core DNA 659

Egelman, E. H. and Stasiak, A., Structure of Helical RecA–DNA Complexes. Complexes Formed in the Presence of ATP-Gamma-S or ATP 677

Westhof, E., Chevrier, B., Gallion, S. L., Weiner, P. K. and Levy, R. M., Temperature-dependent Molecular Dynamics and Restrained X-ray Refinement Simulations of a *Z*-DNA Hexamer 699

Evans, P. R., Farrants, G. W. and Lawrence, M. C., Crystallographic Structure of Allosterically Inhibited Phosphofructokinase at 7 Å Resolution 713

Letter to the Editor

Stockley, P. G., Kirsh, A. L., Chow, E. P., Smart, J. E. and Harrison, S. C., Structure of Turnip Crinkle Virus. III. Identification of a Unique Coat Protein Dimer 721

Erratum 727

Index to Volume 191

Actin assembly in the presence of cytochalasin D or ADP, cytoplasmic concentrations of inorganic phosphate affect the critical concentration, 273
Actin filament ends in the human red cell membrane, 461
Actin–myosin complex produced by crosslinking in the presence of ATP; structure, 107
Actinomycin D interactions with double-helical DNA, computer modeling, 495
F-actin directional movement *in vitro*, 131
Ahmed, A., Evidence for replicative transposition of Tn*5* and Tn*9*, 75
Alagona, G., Ghio, C. & Kollman, P. A., Simple model for the effect of Glu165 → Asp165 mutation on the rate of catalysis in triose isomerase, 23
Alfalfa, at least two *nodD* genes are necessary for efficient nodulation by *Rhizobium meliloti*, 411
Allosterically inhibited phosphofructokinase, crystallographic structure at 7 Å resolution, 713
Altman, S. (see also Lawrence, N. P.), 163
Ambrose, C. (see also Blasquez, V.), 97
Amiconi, G. (see also Menegatti, E.), 295
Anderson, B. F. (see also Norris, G. E.), 143
Anderson, L. K. & Eiserling, F. A., Asymmetrical core structure to phycobilisomes of the cyanobacterium *Synechocystis* 6701, 441
Anderson, W. F. (see also Bacon, D. J.), 153
Arata, T., Structure of the actin–myosin complex produced by crosslinking in the presence of ATP, 107
Asakura, S. (see also Honda, H.), 131
Ascenzi, P. (see also Menegatti, E.), 295
Aspartate aminotransferase from *Escherichia coli*, preliminary X-ray data, 301
Assembly of actin in the presence of cytochalasin D or ADP, cytoplasmic concentrations of inorganic phosphate affect the critical concentration, 273
Assembly of cowpea chlorotic mottle virus, role of the N-terminal part of the coat protein; n.m.r. study and structural calculations, 453
Assembly of turnip crinkle virus; mechanism of reassembly *in vitro*, 639
Atmadja, J. (see also Stiege, W.), 135
ATP binding and crossbridge structure in muscle, 581
ATP and crosslinking; structure of the actin–myosin complex, 107

Bachouchi, N., Garrigos, M. & Morel, J. E., MgATPase activity of myosin subfragment 1. The dimer is more active than the monomer, 247
Bacillus subtilis, cloning and expression of *Bacillus thuringiensis* var. *israelensis* δ-endotoxin in sporogenic and asporogenic strains, 13
Bacillus subtilis, regulation of a promoter utilized by minor forms of RNA polymerase holoenzyme, 615
Bacillus thuringiensis var. *israelensis* δ-endotoxin. Cloning and expression of the toxin in sporogenic and asporogenic strains of *Bacillus subtilis*, 13
Bacillus thuringiensis var. *israelensis* δ-endotoxin. Nucleotide sequence and characterization of the transcripts in *Bacillus thuringiensis* and *Escherichia coli*, 1
Bacon, D. J. & Anderson, W. F., Multiple sequence alignment, 153
Bacterial cell division cycle, a quantitative model for control of plasmid λdv replication, 367
Bacterial gene expression, enhancement by insertion elements or by mutation in a CAP-cAMP binding site, 85
Bacteriophage lambda mutations that define independent but overlapping RNA processing and transcription termination sites, 29
Bacteriophage lambda protein Nu 1 contains the conserved DNA binding fold of repressors, 139
Bacteriophage φ29 DNA early and late promoter sequences, *in vivo* transcription, 191
Bacteriophage SP01 middle promoter, effects of substituting thymine for hydroxymethyluracil, 59
Bacteriophage T2, morphogenesis of the long tail fibers involves proteolytic processing of the polypeptide (gene product 37) constituting the distal part of the fiber, 267
Bacteriophage T2 and K3, DNA sequence of the tail fiber genes 37, 255
Bacteriophage T4 *rII* gene frameshifts, sequences, 601
Baker, E. N. (see also Norris, G. E.), 143
Baker, H. M. (see also Norris, G. E.), 143
Barthelemy, I. (see also Mellado, R. P.), 191
Biessmann, H. & Green, M. M., Molecular anslysis of insertional mutations in the *yellow* gene region of *Drosophila*, 573
Bina, M. (see also Blasquez, V.), 97
Binding of the bovine basic pancreatic trypsin inhibitor (Kunitz) to human Lys^{77}-plasmin, 295
Binding sites, a mutational analysis; role of *Escherichia coli* IHF protein in lambda site-specific recombination, 181
Blasquez, V., Stein, A., Ambrose, C. & Bina, M., Simian virus 40 protein VP1 is involved in spacing nucleosomes in minichromosomes, 97
Bolognesi, M. (see also Menegatti, E.), 295
Bovine basic pancreatic trypsin inhibitor (Kunitz), binding to human Lys^{77}-plasmin, 295
Bovine lactoferrin, preliminary crystallographic studies, 143
Bradshaw, T. P. (see also Tykarska, E.), 147
Brimacombe, R. (see also Stiege, W.), 135
Brown, S. C. (see also Lybrand, T. P.), 495
Brünger, A. T. (see also Clore, G. M.), 523
Bueno, J. (see also Montañez, C.), 29
Burger, G. & Werner, S., Mitochondrial gene URFN of *Neurospora crassa* codes for a long polypeptide with high repetitive structure, 589

CAP-cAMP binding site, enhancement of bacterial gene expression by insertion elements or by mutation, 85
Catalysis rate in triose phosphate isomerase, model for the effect of Glu165 → Asp165 mutation, 23
Caulobacter predivisional cell, differential localization of membrane receptor chemotaxis proteins, 433
Cell division cycle, bacterial, a quantitative model for control of plasmid λdv replication, 367
Cell, predivisional, *Caulobacter*, differential localization of membrane receptor chemotaxis proteins, 433
Cells, *Drosophila*, ecdysterone and heat shock induction of transfecting and endogenous heat shock genes, 563
Chandler, M. (see also Prentki, P.), 383
Charbit, A. (see also Gilson, E.), 303
Chemotaxis proteins, membrane receptor, differential localization in the *Caulobacter* predivisional cell, 433
Cheung, H. C. (see also Wang, C.-K.), 509
Chevrier, B. (see also Westhof, E.), 699
Chicken nucleosome core DNA, sequence periodicities, 659
Chlamydomonas reinhardtii, sequence, evolution and differential expression of the two genes encoding variant small subunits of ribulose biphosphate carboxylase/oxygenase, 421
Chow, E. P. (see also Stockley, P. G.), 721
Choy, H. A., Romeo, J. M. & Geiduschek, E. P., Activity of a phage-modified RNA polymerase at hybrid promoters. Effects of substituting thymine for hydroxymethyluracil in a phage SP01 middle promoter, 59
Chromatin, *in-vivo* transcribing, structure as studied in SV40 minichromosomes, 469
Chromatin, topoisomerase II cleavage, 231
Chromatium vinosum, preliminary crystallographic study of a ribulose-1,5-biphosphate carboxylase-oxygenase, 577
Circular dichroism and n.m.r. spectroscopy used in determination of solution structure of human growth factor releasing hormone, 553
Clark, A. (see also Ripley, L. S.), 601
Clarke, M. L., Hofman, W. & Wray, J. S., ATP binding and crossbridge structure in muscle, 581
Cleavage, topoisomerase II, in chromatin, 231
Cloning and expression of *Bacillus thuringiensis* var. *israelensis* δ-endotoxin in sporogenic and asporogenic strains of *Bacillus subtilis*, 13
Clore, G. M., Martin, S. R. & Gronenborn, A. M., Solution structure of human growth hormone releasing factor. Combined use of circular dichroism and nuclear magnetic resonance spectroscopy, 553

Clore, G. M., Brünger, A. T., Karplus, M. & Gronenborn, A. M., Application of molecular dynamics with interproton distance restraints to three-dimensional protein structure determination. A model study of crambin, 523
Coat protein dimer, unique, identification; structure of turnip crinkle virus, 721
Coat protein, role of the N-terminal part in the assembly of cowpea chlorotic mottle virus; n.m.r. study and structural calculations, 453
Coliphages, temperate, P2-related, and control of gene expression; DNA sequence of the major control region of phage 186, 199
Coliphages, temperate, P2-related, and control of gene expression; the late control gene and control of its transcription, 211
Computer modeling of actinomycin D interactions with double-helical DNA, 495
Conformation of DNA, *N*-hydroxyaminofluorene as chemical probe, 569
Conformational change in the decoding region of 16 S rRNA accompanies interconversion of active and inactive 30 S ribosomal subunits, 483
Contact areas of the turnip yellow mosaic virus tRNA-like structure interacting with yeast valyl-tRNA synthetase, 117
Court, D. L. (see also Montañez, C.), 29
Cowpea chlorotic mottle virus (see also Virus), 453
Crambin model study; application of molecular dynamics with interproton distance restraints to three-dimensional protein structure determination, 523
Creighton, S. (see also Lybrand, T. P.), 495
Crossbridge structure and ATP binding in muscle, 581
Cross-linking, intra-RNA, *in vivo*, and tertiary folding of *Escherichia coli* rRNA, 135
Crosslinking in the presence of ATP; structure of actin–myosin complex, 107
Crystallization and preliminary X-ray diffraction study of ferrocytochrome c_2 from *Rhodopsueodomonas viridis*, 579
Crystallographic data and crystallization for new forms of thymidylate synthase from *Lactobacillus casei*, 147
Crystallographic structure of allosterically inhibited phospho-fructokinase at 7 Å resolution, 713
Crystallographic studies, preliminary, on bovine lactoferrin, 143
Crystallographic study, preliminary, of methanol dehydrogenase from *Methylophilus methylotropus*, 141
Crystallographic study, preliminary, of a ribulose-1,5-biphosphate carboxylase-oxygenase from *Chromatium vinosum*, 577
Cyanobacterium *Synechocystis* 6701, asymmetrical core structure in phycobilisomes, 441
Cytochalasin D: cytoplasmic concentrations of inorganic phosphate affect the critical concentration for assembly of actin in the presence of cytochalasin D or ADP, 273
Cytoplasmic concentrations of inorganic phosphate affect the critical concentration for assembly of actin in the presence of cytochalasin D or ADP, 273

Davidson, V. L. (see also Lim, L. W.), 141
De Bernardin, W., Koller, T. & Sogo, J. M., Structure of *in-vivo* transcribing chromatin as studied in simian virus 40 minichromosomes, 469
Deboer, J. G. (see also Ripley, L. S.), 601
DNA binding fold, conserved, of repressors, is contained in lambda phage protein Nu 1, 139
DNA conformation, *N*-hydroxyaminofluorene as chemical probe, 569
DNA damage, site-specific, and mutagenesis, 177
DNA, double-helical, computer modeling of interactions with actinomycin D, 495
DNA, nucleosome core, chicken, sequence periodicities, 659
DNA, ϕ29, early and late promoter sequences, *in vivo* transcription, 191
DNA rearrangements selected *in vivo*, and regulated yeast promoters, 355
DNA–RecA complexes formed in the presence of ATP-gamma-S or ATP; structure, 677
DNA sequence of the major control region of phage 186; control of gene expression in the P2-related temperate coliphages, 199
DNA sequence of the tail fiber genes 37, encoding the receptor recognizing part of the fiber, of bacteriophages T2 and K3, 255
DNA topoisomerase I, *Escherichia coli*, complete nucleotide sequence of the encoding *topA* gene, 321
DNA topoisomerase I, *Escherichia coli*, probing the structural domains and function *in vivo* by mutagenesis, 333
Z-DNA hexamer, temperature-dependent molecular dynamics and restrained X-ray refinement simulations, 699
Dodd, I. B. (see also Kalionis, B.), 199
Douthwaite, S. (see also Moazed, D.), 483
Drew, H. R. (see also Satchwell, S. C.), 659
Drexler, K., Riede, L. & Henning, U., Morphogenesis of the long tail fibers of bacteriophage T2 involves proteolytic processing of the polypeptide (gene product 37) constituting the distal part of the fiber, 267
Drexler, K. (see also Riede, I.), 255
Drosophila, molecular analysis of insertional mutations in the *yellow* gene region, 573
Drosophila cells, ecdysterone and heat shock induction of transfecting and endogenous heat shock genes, 563
Dunlap, R. B. (see also Tykarska, E.), 147

Ecdysterone and heat shock induction of transfecting and endogenous heat shock genes in cultured *Drosophila* cells, 563
Egan, J. B. (see also Kalionis, B.), 199, 211
Egelman, E. H. & Stasiak, A., Structure of helical RecA–DNA complexes. Complexes formed in the presence of ATP-gamma-S or ATP, 677
Eiserling, F. A. (see also Anderson, L. K.), 441
Ellar, D. J. (see also Ward, E. S.), 1, 13
δ-Endotoxin, *Bacillus thuringiensis* var. *israelensis*. Cloning and expression of the toxin in sporogenic and asporogenic strains of *Bacillus subtilis*, 13
δ-Endotoxin, *Bacillus thuringiensis* var. *israelensis*. Nucleotide sequence and characterization of the transcripts in *Bacillus thuringiensis* and *Escherichia coli*, 1
Eschbach, M.-L. (see also Riede, I.), 255
Escherichia coli aspartate aminotransferase, preliminary X-ray data, 301
Escherichia coli and *Bacillus thuringiensis*, nucleotide sequence and characterization of transcripts; *Bacillus thuringiensis* var. *israelensis* δ-endotoxin, 1
Escherichia coli, complete nucleotide sequence of the *topA* gene encoding DNA topoisomerase I, 321
Escherichia coli DNA topoisomerase I, probing the structural domains and function *in vivo* by mutagenesis, 333
Escherichia coli IHF protein, role in lambda site-specific recombination; a mutational analysis of binding sites, 181
Escherichia coli K12, *malM* is the last gene of the *malK-lamB* operon and encodes a periplasmic protein, 303
Escherichia coli K12, *malM*, a new gene of the maltose regulon; mutations affecting the signal peptide of the MalM protein, 313
Escherichia coli K-12, novel regulatory mutants of the phosphate regulon, 39
Escherichia coli ribonuclease P, site-directed mutagenesis of M1 RNA, the RNA subunit; effects of an addition and small deletions on catalytic function, 163
Escherichia coli rRNA, investigation of tertiary folding by intra-RNA crosslinking *in vivo*, 135
Escherichia coli, yeast *HIS3* expression depends upon fortuitous homology between eukaryotic and prokaryotic promoter elements, 221
Eukaryotic and prokaryotic promoter element homology, fortuitous, and yeast *HIS3* expression in *Escherichia coli*, 221
Evans, P. R., Farrants, G. W. & Lawrence, M. C., Crystallographic structure of allosterically inhibited phosphofructokinase at 7 Å resolution, 713
Evolution of the two genes encoding variant small subunits of ribulose biphosphate carboxylase/oxygenase in *Chlamydomonas reinhardtii*, 421

Expression, gene, bacterial, enhancement by insertion elements or by mutations in a CAP-cAMP binding site, 85
Expression, gene, control in the P2-related temperate coliphages; DNA sequence of the major control region of phage 186, 199
Expression, gene, control in the P2-related temperate coliphages; the late control gene and control of its transcription, 211
Expression, herpes simplex virus gene, co-ordinate regulation is mediated by the functional interaction of two immediate early gene products, 395
Expression, *HIS3*, in *Escherichia coli* depends upon fortuitous homology between eukaryotic and prokaryotic promoter elements, 221

Farrants, G. W. (see also Evans, P. R.), 713
Ferrocytochrome c_2 from *Rhodopseudomonas viridis*, crystallization and preliminary X-ray diffraction study, 579
Fibers (see also Tail fibers), 255, 267
Filament ends, actin, in the human red cell membrane, 461
Finlayson, W. L. (see also Smith, D. L.), 301
Florentz, C. & Giegé, R., Contact areas of the turnip yellow mosaic virus tRNA-like structure interacting with yeast valyl-tRNA synthetase, 117
Folding mechanism of porcine ribonuclease, 281
Folding, tertiary, of *Escherichia coli* ribosomal RNA by intra-RNA cross-linking *in vivo*, 135
Folkhard, W. (see also Marvin, D. A.), 299
F-pili structure: reassessment of the symmetry, 299
Frameshift mutations, spontaneous, spectrum; sequences of bacteriophage T4 *rII* gene frameshifts, 601
Functional promoters created by the insertion of transposable element IS*1*, 383

Galas, D. J. (see also Prentki, P.), 383
Gallion, S. L. (see also Westhof, E.), 699
Gardner, J. F. & Nash, H. A., Role of *Escherichia coli* IHF protein in lambda site-specific recombination. A mutational analysis of binding sites, 181
Garrigos, M. (see also Bachouchi, N.), 247
Gärtner, A. L. (see also Norris, G. E.), 143
Geiduschek, E. P. (see also Choy, H. A.), 59
Gelman, I. H. & Silverstein, S., Co-ordinate regulation of herpes simplex virus gene expression is mediated by the functional interaction of two immediate early gene products, 395
Gene, bacterial, expression enhancement by insertion elements or by mutation in a CAP-cAMP binding site, 85
Gene conversion, association with reciprocal exchange, between the repeated segments of 2-μm circle, 341
Gene expression, herpes simplex virus, co-ordinate regulation is mediated by the functional interaction of two immediate early gene products, 395
Gene expression control in the P2-related temperate coliphages; DNA sequence of the major control region of phage 186, 199
Gene expression control in the P2-related temperate coliphages; the late control gene and control of its transcription, 211
Genes, *nodD*, at least two are necessary for efficient nodulation of alfalfa by *Rhizobium meliloti*, 411
Gene *rII*, T4, frameshits, sequences, 601
Gene region, *yellow*, of *Drosophila*, molecular analysis of insertional mutations, 573
Gene 37: morphogenesis of the long tail fibers of bacteriophage T2 involved proteolytic processing of the polypeptide (gene product 37) constituting the distal part of the fiber, 267
Genes 37, tail fiber, encoding the receptor recognizing part of the fiber, of bacteriophages T2 and K3; DNA sequence, 255
Gene, *topA*, encoding *Escherichia coli* DNA topoisomerase I, complete nucleotide sequence, 321
Gene URFN, mitochondrial, of *Neurospora crassa* codes for a long polypeptide with highly repetitive structure, 589
Genes, two, encoding variant small subunits of ribulose biphosphate carboxylase/oxygenase in *Chlamydomonas reinhardtii*; sequence, evolution and differential expression, 421
Ghio, C. (see also Alagona, G.), 23
Giege', R. (see also Florentz, C.), 117
Gilson, E., Rousset, J.-P., Charbit, A., Perrin, D. & Hofnung, M., *malM*, a new gene of the maltose regulon in *Escherichia coli* K12. I. *malM* is the last gene of the *malK-lamB* operon and encodes a periplasmic protein, 303
Gilson, E. (see also Rousset, J.-P.), 313
Glu165 → Asp165 mutation, model for effect on rate of catalysis in triose phosphate isomerase, 23
Goldschmidt-Clermont, M. & Rahire, M., Sequence, evolution and differential expression of the two genes encoding variant small subunits of ribulose biphosphate carboxylase/oxygenase in *Chalmydomonas reinhardtii*, 421
Gomes, S. L. (see also Nathan, P.), 433
Göttfert, M., Horvath, B., Kondorosi, E., Putnoky, P., Rodriguez-Quiñones, F. & Kondorosi, A., At least two *nodD* genes are necessary for efficient nodulation of alfalfa by *Rhizobium meliloti*, 411
Grafl, R., Lang, K., Wrba, A. & Schmid, F. X., Folding mechanism of porcine ribonuclease, 281
Gratzer, W. B. (see also Pinder, J. C.), 461
Green, M. M. (see also Biessmann, H.), 573
Gronenborn, A. M. (see also Clore, G. M.), 523, 553
Growth hormone releasing factor, human, solution structure; combined use of circular dichroism and n.m.r. spectroscopy, 553
Guarneri, M. (see also Menegatti, E.), 295
Guarneros, G. (see also Montañez, C.), 29

Hahnenberger, K. (see also Nathan, P.), 433
Harada, S. (see also Nakagawa, H.), 577
Harrison, S. C. (see also Hogle, J. M.), 625
Harrison, S. C. (see also Sorger, P. K.), 639
Harrison, S. C. (see also Stockley, P. G.), 721
Hayashi, K. (see also Miki, K.), 579
Heat shock induction of transfecting and endogenous heat shock genes in cultured *Drosophila* cells, and ecdysterone, 563
Helical RecA–DNA complexes formed in the presence of ATP-gamma-S or ATP; structure, 677
Hemminga, M. A. (see also Vriend, G.), 453
Henning, U. (see also Drexler, K.), 267
Henning, U. (see also Riede, I.), 255
Herpes simplex virus (see also Virus), 395
HIS3 expression in *Escherichia coli* depends upon fortuitous homology between eukaryotic and prokaryotic promoter elements, 221
Hofman, W. (see also Clarke, M. L.), 581
Hofnung, M. (see also Gilson, E.), 303
Hofnung, M. (see also Rousset, J.-P.), 313
Hogle, J. M., Maeda, A. & Harrison, S. C., Structure and assembly of turnip crinkle virus. I. X-ray crystallographic structure analysis at 3·2 Å resolution, 625
Holoenzyme, RNA polymerase, regulation of promoter in *Bacillus subtilis*, 615
Homology, fortuitous, between eukaryotic and prokaryotic promoter elements, and yeast *HIS3* expression in *Escherichia coli*, 221
Honda, H., Nagashima, H. & Asakura, S., Directional movement of F-actin *in vitro*, 131
Horio, T. (see also Nakagawa, H.), 577
Horvath, B. (see also Göttfert, M.), 411
Hsieh, T-s. (see also Upvardy, A.), 231
Human growth hormone releasing factor, solution structure; combined use of circular dichroism and n.m.r. spectroscopy, 553
Human Lys^{77}-plasmin, binding of the bovine basic pancreatic trypsin inhibitor (Kunitz), 295
Human red cell membrane, study of actin filament ends, 461
Hydroxymethyluracil, effects of substituting thymine in a phage SP01 middle promoter, 59

Igo, M. M. & Losick, R., Regulation of a promoter that is utilized by minor forms of RNA polymerase holoenzyme in *Bacillus subtilis*, 615
IHF protein, *Escherichia coli*, role in lambda site-specific recombination; a mutational analysis of binding sites, 181
Insertion elements and enhancement of bacterial gene expression, 85
Interconversion of active and inactive 30 S ribosomal subunits is accompanied by a conformational change in the decoding region of 16 S rRNA, 483

IS*1* transposable element, functional promoters created by insertion, 383

Jayaram, M., Association of reciprocal exchange with gene conversion between the repeated segments of 2-μm circle, 341

K3 (see also Bacteriophage), 255
Kai, Y. (see also Nakagawa, H.), 577
Kakuno, T. (see also Nakagawa, H.), 577
Kalionis, B., Dodd, I. B. & Egan, J. B., Control of gene expression in the P2-related temperate coliphages. III. DNA sequence of the major control region of phage 186, 199
Kalionis, B., Pritchard, M. & Egan, J. B., Control of gene expression in the P2-related temperate coliphages. IV. Concerning the late control gene and control of its transcription, 211
Karplus, M. (see also Clore, G. M.), 523
Kasai, N. (see also Miki, K.), 579
Kasai, N. (see also Nakagawa, H.), 577
Kirsh, A. L. (see also Stockley, P. G.), 721
Kirsch, J. F. (see also Smith, D. L.), 301
Koller, T. (see also De Bernardin, W.), 469
Kollman, P. A. (see also Alagona, G.), 23
Kollman, P. A. (see also Lybrand, T. P.), 495
Kondorosi, A. (see also Göttfert, M.), 411
Kondorosi, E. (see also Göttfert, M.), 411
Kypr, J. & Mrázek, J., Lambda phage protein Nu 1 contains the conserved DNA binding fold of repressors, 139

Lactobacillus casei, crystallization and crystallographic data for new forms of thymidylate synthase, 147
Lactoferrin, bovine, preliminary crystallographic studies, 143
λ (see also Bacteriophage), 29
Lambda phage protein Nu 1 contains the conserved DNA binding fold of repressors, 139
Lambda site-specific recombination, role of *Escherichia coli* IHF protein; a mutational analysis of binding sites, 181
λdv plasmid DNA replication regulation. Quantitative model for control of plasmid λdv replication in the bacterial cell division cycle, 367
Lang, K. (see also Grafl, R.), 281
Larocca, D., Ecdysterone and heat shock induction of transfecting and endogenous heat shock genes in cultured *Drosophila* cells, 563
Lawrence, M. C. (see also Evans, P. R.), 713
Lawrence, N. P. & Altman, S., Site-directed mutagenesis of M1 RNA, the RNA subunit of *Escherichia coli* ribonuclease P. The effects of an addition and small deletions on catalytic function, 163
Lebioda, L. (see also Tykarska, E.), 147
Legrice, S. F. J. (see also Reynolds, A. E.), 85
Leng, M. (see also Rio, P.), 569
Levy, R. M. (see also Westhof, E.), 699
Lim, L. W., Xia, Z.-x., Mathews, F. S. & Davidson, V. L., Preliminary X-ray crystallographic study of methanol dehydrogenase from *Methylophilus methylotrophus*, 141
Localization, differential, of membrane receptor chemotaxis proteins in the *Caulobacter* predivisional cell, 433
Losick, R. (see also Igo, M. M.), 615
Lybrand, T. P., Brown, S. C., Creighton, S., Shafer, R. H. & Kollman, P. A., Computer modeling of actinomycin D interactions with double-helical DNA, 495
Lys^{77}-plasmin, human, binding of the bovine basic pancreatic trypsin inhibitor (Kunitz), 295

M1 RNA site-directed mutagenesis; effects of an addition and small deletions on catalytic function, 163
Maeda, A. (see also Hogle, J. M.), 625
Mahadevan, S. (see also Reynolds, A. E.), 85
malM, a new gene of the maltose regulon in *Escherichia coli* K12, is the last gene of the *malK-lamB* operon and encodes a periplasmic protein, 303
malM, a new gene of the maltose regulon in *Escherichia coli* K12; mutations affecting the signal peptide of the MalM protein, 313
Maltose regulon in *Escherichia coli* K12, *malM* is the last gene of the *malK-lamB* operon and encodes a periplasmic protein, 303
Maltose regulon in *Escherichia coli* K12, *malM*, a new gene; mutations affecting the signal peptide of the MalM protein, 313
Martin, S. R. (see also Clore, G. M.), 553
Marvin, D. A. & Folkhard, W., Structure of F-pili: reassessment of the symmetry, 299
Masaki, K. (see also Miki, K.), 579
Mathews, F. S. (see also Lim, L. W.), 141
Mellado, R. P., Barthelemy, I. & Salas, M., *In vivo* transcription of bacteriophage ϕ29 DNA early and late promoter sequences, 191
Membrane receptor chemotaxis proteins, differential localization in the *Caulobacter* predivisional cell, 433
Membrane, red cell, human, a study of actin filament ends, 461
Menegatti, E., Guarneri, M., Bolognesi, M., Ascenzi, P. & Amiconi, G., Binding of the bovine basic pancreatic trypsin inhibitor (Kunitz) to human Lys^{77}-plasmin, 295
Methanol dehydrogenase from *Methylophilus methylotrophus*, preliminary X-ray crystallographic study, 141
Methylophilus methylotrophus methanol dehydrogenase, preliminary X-ray crystallographic study, 141
MgATPase activity of myosin subfragment 1. The dimer is more active than the monomer, 247
Miki, K., Saeda, M., Masaki, K., Kasai, N., Miki, M. & Hayashi, K., Crystallization and preliminary X-ray diffraction study of ferrocytochrome c_2 from *Rhodopseudomonas viridis*, 579
Miki, K. (see also Nakagawa, H.), 577
Miki, M. (see also Miki, K.), 579
Minichromosomes, SV40, and the structure of *in-vivo* transcribing chromatin, 469
Minichromosomes, SV40 VP1 is involved in spacing nucleosomes, 97
Mitchell, N. & Stöhrer, G., Mutagenesis originating in site-specific DNA damage, 177
Mitochondrial gene URFN of *Neurospora crassa* codes for a long polypeptide with highly repetitive structure, 589
Moazed, D., Van Stolk, B. J., Douthwaite, S. & Noller, H. F., Interconversion of active and inactive 30 S ribosomal subunits is accompanied by a conformational change in the decoding region of 16 S rRNA, 483
Molecular analysis of insertional mutations in the *yellow* gene region of *Drosophila*, 573
Molecular dynamics with interproton distance restraints, application to three-dimensional protein structure determination; a model study of crambin, 523
Molecular dynamics, temperature-dependent, and restrained X-ray refinement simulations of a *Z*-DNA hexamer, 699
Montañez, C., Bueno, J., Schmeissner, U., Court, D. L. & Guarneros, G., Mutations of bacteriophage lambda that define independent but overlapping RNA processing and transcription termination sites, 29
Morel, J. E. (see also Bachouchi, N.), 247
Morphogenesis of the long tail fibers of bacteriophage T2 involves proteolytic processing of the polypeptide (gene product 37) constituting the distal part of the fiber, 267
Movement, directional, of F-actin *in vitro*, 131
Mrázek, J. (see also Kypr, J.), 139
Muscle, ATP binding and crossbridge structure, 581
Mutagenesis originating in site-specific DNA damage, 177
Mutagenesis probing of the structural domains and function *in vivo* of *Escherichia coli* DNA topoisomerase I, 333
Mutagenesis, site-directed, of M1 RNA, the RNA subunit of *Escherichia coli* ribonuclease P; effects of an addition and small deletions on catalytic function, 163
Mutants, regulatory, novel, of the phosphate regulon in *Escherichia coli* K-12, 39
Mutation in a CAP-cAMP binding site, and enhancement of bacterial gene expression, 85
Mutation, Glu165 → Asp165, model for effect on rate of catalysis in triose phosphate isomerase, 23
Mutational analysis of binding sites; role of *Escherichia coli* IHF protein in lambda site-specific recombination, 181
Mutations affecting the signal peptide of the MalM protein, 313

Mutations of bacteriophage lambda that define independent but overlapping RNA processing and transcription termination sites, 29
Mutations, frameshift, spontaneous, spectrum; sequences of bacteriophage T4 *rII* gene frameshifts, 601
Mutations, insertional, in the *yellow* gene region of *Drosophila*; molecular analysis, 573
Myosin subfragment 1, MgATPase activity; the dimer is more active than the monomer, 247
Myosin–actin complex produced by crosslinking in the presence of ATP; structure, 107

Nagashima, H. (see also Honda, H.), 131
Nakagawa, H., Sugimoto, M., Kai, Y., Harada, S., Miki, K., Kasai, N., Saeki, K., Kakuno, T. & Horio, T., Preliminary crystallographic study of a ribulose-1,5-biphosphate carobxylase-oxygenase from *Chromatium vinosum*, 577
Nash, H. A. (see also Gardner, J. F.), 181
Nathan, P., Gomes, S. L., Hahnenberger, K., Newton, A. & Shapiro, L., Differential localization of membrane receptor chemotaxis proteins in the *Caulobacter* predivisional cell, 433
Neurospora crassa mitochondrial gene URFN codes for a long polypeptide with highly repetitive structure, 589
Newton, A. (see also Nathan, P.), 433
N-hydroxyaminofluorene: a chemical probe for DNA conformation, 569
nodD genes, at least two are necessary for efficient nodulation of alfalfa by *Rhizobium meliloti*, 411
Norris, G. E., Anderson, B. F., Baker, E. N., Baker, H. M., Gärtmer, A. L., Ward, J. & Rumball, S. V., Preliminary crystallographic studies on bovine lactoferrin, 143
N-terminal part of the coat protein, role in the assembly of cowpea chlorotic mottle virus; n.m.r. study and structural calculations, 453
Nu 1 protein, lambda, contains the conserved DNA binding fold of repressors, 139
Nuclear magnetic resonance spectroscoopy and circular dichroism used to determine the solution structure of human growth hormone releasing factor, 553
Nuclear magnetic resonance study and structural calculations; role of the N-terminal part of the coat protein in the assembly of cowpea chlorotic mottle virus, 453
Nucleosome core DNA, chicken, sequence periodicities, 659
Nucleosome spacing in minichromosomes, SV40 VP1 is involved, 97
Nucleotide sequence and characterization of transcripts in *Bacillus thuringiensis* and *Escherichia coli; Bacillus thuringiensis* var. *israelensis* δ-endotoxin, 1
Nucleotide sequence, complete, of the *topA* gene encoding *Escherichia coli* DNA topoisomerase I, 321

186 (see also Phage), 199
P2-related temperate coliphages, control of gene expression; DNA sequence of the major control region of phage 186, 199
P2-related temperate coliphages, control of gene expression; the late control gene and control of its transcription, 211
Periplasmic protein is encoded by *malM*, the last gene of the *Escherichia coli* K12 *malK-lamB* operon, 303
Perrin, D. (see also Gilson, E.), 303
Phage 186, DNA sequence of the major control region; control of gene expression in the P2-related temperate coliphages, 199
ϕ29 (see also Bacteriophage), 191
Phosphate, inorganic, cytoplasmic concentrations affect the critical concentration for assembly of actin in the presence of cytochalasin D or ADP, 273
Phosphate regulon in *Escherichia coli* K-12, novel regulatory mutants, 39
Phosphofructokinase, allosterically inhibited, crystallographic structure at 7 Å resolution, 713
Phycobilisomes of the cyanobacterium *Synechocystis* 6701, asymmetrical core structure, 441
Pinder, J. C., Weeds, A. G. & Gratzer, W. B., Study of actin filament ends in the human red cell membrane, 461
Plasmid λdv replication in the bacterial cell division cycle, a quantitative model for control, 367
Porcine ribonuclease folding mechanism, 281
Prentki, P., Teter, B., Chandler, M. & Galas, D. J., Functional promoters created by the insertion of the transposable element IS*1*, 383
Pritchard, M. (see also Kalionis, B.), 211
Prokaryotic and eukaryotic promoter element homology, fortuitous, and yeast *HIS3* expression in *Escherichia coli*, 221
Promoter element homology, fortuitous, eukaryotic and prokaryotic, and yeast *HIS3* expression in *Escherichia coli*, 221
Promoter, RNA polymerase holoenzyme, in *Bacillus subtilis*; regulation, 615
Promoter sequences, early and late, ϕ29 DNA; *in vivo* transcription, 191
Promoters, functional, created by the insertion of transposable element IS*1*, 383
Promoters, hybrid, activity of a phage-modified RNA polymerase; effects of substituting thymine for hydroxymethyluracil in a phage SP01 middle promoter, 59
Promoters, yeast, regulated, produced by DNA rearrangements selected *in vivo*, 355
Protein IHF, *Escherichia coli*, role in lambda site-specific recombination; a mutational analysis of binding sites, 181
Protein, MalM, and mutations affecting the signal peptide, 313
Protein Nu 1, lambda, contains the conserved DNA binding fold of repressors, 139
Protein, periplasmic, is encoded by *malM*, the last gene of the *Escherichia coli* K12 *malK-lamB* operon, 303
Protein three-dimensional structure determination, application of molecular dynamics with interproton distance restraints; a model study of crambin, 523
Protein VP1, SV40, is involved in spacing nucleosomes in minichromosomes, 97
Proximity relationship im the binary complex formed between troponin I and troponin C, 509
Putnoky, P. (see also Göttfert, M.), 411

rII gene, T4, frameshifts, sequences, 601
Rahire, M. (see also Goldschmidt-Clermont, M.), 421
RecA–DNA complexes formed in the presence of ATP-gamma-S or ATP; structure, 677
Reciprocal exchange, association with gene conversion between the repeated segments of 2-μm circle, 341
Recombination, site-specific, lambda, role of *Escherichia coli* IHF protein; a mutational analysis of binding sites, 181
Red cell membrane, human, study of actin filament ends, 461
Regulated yeast promoters produced by DNA rearrangements selected *in vivo*, 355
Regulation, co-ordinate, of herpes simplex virus gene expression is mediated by the functional interaction of two immediate early gene products, 395
Regulation of λdv plasmid DNA replication. A quantitative model for control of plasmid λdv replication in the bacterial cell division cycle, 367
Regulation of a promoter that is utilized by minor forms of RNA polymerase holoenzyme in *Bacillus subtilis*, 615
Regulatory mutants, novel, of the phosphate regulon in *Escherichia coli* K-12, 39
Repetitive structure, long polypeptide is encoded by mitochondrial gene URFN of *Neurospora crassa*, 589
Replication, plasmid λdv, in the bacterial cell division cycle, a quantitative model for control, 367
Replicative transposition of Tn*5* and Tn*9*, 75
Repressors, lambda phage protein Nu 1 contains the conserved DNA binding fold, 139
Reynolds, A. E., Mahadevan, S., Legrice, S. F. J. & Wright, A., Enhancement of bacterial gene expression by insertion elements or by mutation in a CAP-cAMP binding site, 85
RNA, M1, site-directed mutagenesis; effects of an addition and small deletions on catalytic function, 163
RNA polymerase holoenzyme, regulation of promoter in *Bacillus subtilis*, 615
RNA polymerase, phage-modified, activity at hybrid promoters; effects of substituting thymine for hydroxymethyluracil in a phage SP01 middle promoter, 59
RNA processing and transcription termination sites, independent but overlapping defined by λ mutations, 29

RNA, ribosomal, *Escherichia coli*, investigation of tertiary folding by intra-RNA cross-linking *in vivo*, 135
Rhizobium meliloti nodulation of alfalfa, at least two *nodD* genes are necessary, 411
Rhodopseudomonas viridis, crystallization and preliminary X-ray diffraction study of ferrocytochrome c_2, 579
Ribonuclease P, *Escherichia coli*, site-directed mutagenesis of M1 RNA, the RNA subunit; effects of an addition and small deletions on catalytic function, 163
Ribonuclease, porcine, folding mechanism, 281
Ribosomal RNA, *Escherichia coli*, investigation of tertiary folding by intra-RNA cross-linking *in vivo*, 135
Ribosomal RNA, 16 S, interconversion of active and inactive 30 S ribosomal subunits is accompanied by a conformational change in the decoding region, 483
Ribosomal 30 S subunits, active and inactive, interconversion is accompanied by a conformational change in the decoding region of 16 S rRNA, 483
Ribulose-1,5-biphosphate carboxylase-oxygenase from *Chromatium vinosum*, preliminary crystallographic study, 577
Ribulose biphosphate carboxylase/oxygenase in *Chlamydomonas reinhardtii*, sequence, evolution and differential expression of the two genes encoding variant small subunits, 421
Rickard, J. E. & Sheterline, P., Cytoplasmic concentrations of inorganic phosphate affect the critical concentration for assembly of actin in the presence of cytochalasin D or ADP, 273
Ridley, A. R. (see also Ward, E. S.), 13
Riede, I., Drexler, K., Eschbach, M.-L. & Henning, U., DNA sequence of the tail fiber genes 37, encoding the receptor recognizing part of the fiber, of bacteriophages T2 and K3, 255
Riede, L. (see also Drexler, K.), 267
Ripley, L. S., Clark, A. & DeBoer, J. G., Spectrum of spontaneous frameshift mutations. Sequences of bacteriophage T4 *rII* gene frameshifts, 601
Ringe, D. (see also Smith, D. L.), 301
Rio, P. & Leng, M., *N*-hydroxyaminofluorene: a chemical probe for DNA conformation, 569
Rodriquez-Quiñones, F. (see also Göttfert, M.), 411
Romeo, J. M. (see also Choy, H. A.), 59
Rousset, J.-P., Gilson, E. & Hofnung, M., *malM*, a new gene of the maltose regulon in *Escherichia coli* K12. II. Mutations affecting the signal peptide of the MalM protein, 313
Rousett, J.-P. (see also Gilson, E.), 303
Rownd, R. H. (see also Womble, D. D.), 367
Rumball, S. V. (see also Norris, G. E.), 143

Saeda, M. (see also Miki, K.), 579
Saeki, K. (see also Nakagawa, H.), 577
Salas, M. (see also Mellado, R. P.), 191
Sander, M. (see also Upvardy, A.), 231
Satchwell, S. C., Drew, H. R. & Travers, A. A., Sequence periodicities in chicken nucleosome core DNA, 659
Schedl, P. (see also Upvardy, A.), 231
Scherer, S., Regulated yeast promoters produced by DNA rearrangements selected *in vivo*, 355
Schmeissner, U. (see also Montañez, C.), 29
Schmid, F. X. (see also Grafl, R.), 281
Sequence, DNA, of the major control region of phage 186; control of gene expression in the P2-related temperate coliphages, 199
Sequence, DNA, of the tail fiber genes 37, encoding the receptor recognizing part of the fiber, of bacteriophages T2 and K3, 255
Sequence, evolution and differential expression of the two genes encoding variant small subunits of ribulose biphosphate carboxylase/oxygenase in *Chlamydomonas reinhardtii*, 421
Sequence, multiple, alignment, 153
Sequence, nucleotide, and characterization of transcripts in *Bacillus thuringiensis* and *Escherichia coli; Bacillus thuringiensis* var. *israelensis* δ-endotoxin, 1
Sequence, nucleotide, complete, of the *topA* gene encoding *Escherichia coli* DNA topoisomerase I, 321
Sequence periodicities in chicken nucleosome core DNA, 659
Sequence of bacteriophage T4 *rII* gene frameshifts, 601
Sequences; promoter, early and late, ϕ29 DNA; *in vivo* transcription, 191
Shafer, R. H. (see also Lybrand, T. P.), 495
Shapiro, L. (see also Nathan, P.), 433
Sheterline, P. (see also Rickard, J. E.), 273
Signal peptide of the MalM protein, affected by mutations; *malM*, a new gene of the maltose regulon in *Escherichia coli* K12, 313
Silverstein, S. (see also Gelman, I. H.), 395
Simian virus 40 minichromosomes and the structure of *in-vivo* transcribing chromatin, 469
Simian virus 40 (see also Virus), 97
Smart, J. E. (see also Stockley, P. G.), 721
Smith, D. L., Ringe, D., Finlayson, W. L. & Kirsch, J. F., Preliminary X-ray data for aspartate aminotransferase from *Escherichia coli*, 301
Sogo, J. M. (see also De Bernardin, W.), 469
Sorger, P. K., Stockley, P. G. & Harrison, S. C., Structure and assembly of turnip crinkle virus. II. Mechanism of reassembly *in vitro*, 639
Spacing nucleosomes in minichromosomes, SV40 protein VP1 is involved, 97
SP01 (see also Bacteriophage), 59
Stasiak, A. (see also Egelman, E. H.), 677
Stein, A. (see also Blasquez, V.), 97
Stiege, W., Atmadja, J., Zobawa, M. & Brimacombe, R., Investigation of the tertiary folding of *Escherichia coli* ribosomal RNA by intra-RNA cross-linking *in vivo*, 135
Stockley, P. G., Kirsh, A. L., Chow, E. P., Smart, J. E. & Harrison, S. C., Structure of turnip crinkle virus. III. Identification of a unique coat protein dimer, 721
Stockley, P. G. (see also Sorger, P. K.), 639
Stöhrer, G. (see also Mitchell, N.), 177
Structural domains and function of *Escherichia coli* DNA topoisomerase I, probing by mutagenesis, 333
Structure of the actin–myosin complex produced by crosslinking in the presence of ATP, 107
Structure: application of molecular dynamics with interproton distance restraints to three-dimensional protein structure determination; model study of crambin, 523
Structure and assembly of turnip crinkle virus. Mechanism of reassembly *in vitro*, 639
Structure and assembly of turnip crinkle virus. X-ray crystallographic structure analysis at 3·2 Å resolution, 625
Structure, core, asymmetrical, in phycobilisomes of the cyanobacterium *Synechocystis* 6701, 441
Structure, crossbridge, and ATP binding, in muscle, 581
Structure, crystallographic, of allosterically inhibited phosphofructokinase at 7 Å resolution, 713
Structure of F-pili: reassessment of the symmetry, 299
Structure of helical RecA–DNA complexes formed in the presence of ATP-gamma-S or ATP, 677
Structure of *in-vivo* transcribing chromatin as studied in simian virus 40 minichromosomes, 469
Structure, solution, of human growth hormone releasing factor. Combined use of circular dichroism and n.m.r. spectroscopy, 553
Structure of turnip crinkle virus. Identification of a unique coat protein dimer, 721
Struhl, K., *Yeast HIS3* expression in *Escherichia coli* depends upon fortuitous homology between eukaryotic and prokaryotic promoter elements, 221
Sugimoto, M. (see also Nakagawa, H.), 577
Synechocystis 6701, asymmetrical core structure in phycobilisomes, 441

T2 (see also Bacteriophage), 255, 267
T4 (see also Bacteriophage), 601
Tail fiber genes 37, encoding the receptor recognizing part of the fiber, of bacteriophages T2 and K3; DNA sequence, 255
Tail fibers of bacteriophage T2, morphogenesis involves proteolytic processing of the polypeptide (gene product 37) constituting the distal part of the fiber, 267
Temperature-dependent molecular dynamics and restrained X-ray refinement simulations of a *Z*-DNA hexamer, 699
Teter, B. (see also Prentki, P.), 383

37 gene: morphogenesis of the long tail fibers of bacteriopage T2 involves proteolytic processing of the polypeptide (gene product 37) constituting the distal part of the fiber, 267
37 genes, tail fiber, of bacteriophages T2 and K3; DNA sequence, 255
Thymidylate synthase from *Lactobacillus casei*, crystallization and crystallographic data for new forms, 147
Thymine, effect of substitution for hydroxymethyluracil in a phage SP01 middle promoter, 59
Todd, J. A. (see also Wards, E. S.), 13
topA gene encoding *Escherichia coli* DNA topoisomerase I, completed nucleotide sequence, 321
Topoisomerase I, DNA, *Escherichia coli*, probing the structural domains and function *in vivo* by mutagenesis, 333
Topoisomerase II cleavage in chromatin, 231
Transcribing chromatin, structure as studied in SV40 minichromosomes, 469
Transcription *in vivo* of bacteriophage ϕ29 DNA early and late promoter sequences, 191
Transcription termination and RNA processing sites, independent but overlapping, defined by mutations of bacteriophage lambda, 29
Tn*5* and Tn*9*, evidence for replicative transposition, 75
Transposable element IS*1*, functional promoters created by insertion, 383
Transposition, replicative, of Tn*5* and Tn*9*, 75
tRNA-like structure, turnip yellow mosaic virus, and yeast valyl-tRNA synthetase, 117
Travers, A. A. (see also Satchwell, S. C.), 659
Triose phosphate isomerase, model for effect of Glu165 → Asp165 mutation on the rate of catalysis, 23
Troponin I/troponin C binary complex, proximity relationship, 509
Trypsin inhibitor, pancreatic, basic, bovine, (Kunitz), binding to human Lys^{77}-plasmin, 295
Tse-Dinh, Y.-C. & Wang, J. C., Complete nucleotide sequence of the *topA* gene encoding *Escherichia coli* DNA topoisomerase I, 321
Turnip crinkle virus (see also Virus), 625, 639, 721
Turnip yellow mosaic virus (see also Virus), 117
2-μm circle, association of reciprocal exchange with gene conversion between the repeated segments, 341
Tykarska, E., Lebioda, L., Bradshaw, T. P. & Dunlap, R. B., Crystallization and crystallographic data for new forms of thymidylate synthase from *Lactobacillus casei*, 147

Udvardy, A., Schedl, P., Sander. M. & Hsieh, T-s., Topoisomerae II cleavage in chromatin, 231
URFN mitochondrial gene of *Neurospora crassa* codes for a long polypeptide with highly repetitive structure, 589

Valyl-tRNA synthetase, yeast, and turnip yellow mosaic virus tRNA-like structure, 117
Van Stolk, B. J. (see also Moazed, D.), 483
Verduin, B. J. M. (see also Vriend, G.), 453
Virus, cowpea chlorotic mottle, role of the N-terminal part of the coat protein in the assembly; n.m.r. study and structural calculations, 453
Virus, herpes simplex, co-ordinate regulation of gene expression is mediated by the functional interaction of two immediate early gene products, 395
Virus, SV40, minichromosomes, and the structure of *in-vivo* transcribing chromatin, 469
Virus, SV40, protein VP1 is involved in spacing nucleosomes in minichromosomes, 97
Virus, turnip crinkle, mechanism of reassembly *in vitro*, 639
Virus, turnip crinkle, structure and assembly; X-ray crystallographic structure analysis at 3·2 Å resolution, 625
Virus, turnip crinkle, structure; identification of a unique coat protein dimer, 721
Virus, turnip yellow mosaic, tRNA-like structure, and yeast valyl-tRNA synthetase, 117
VP1 protein, SV40, is involved in spacing nuclesomes and minichromosomes, 97
Vriend, G., Verduin, B. J. M. & Hemminga, M. A., Role of the N-terminal part of the coat protein in the assembly of cowpea chlorotic mottle virus. A 500 MHz proton nuclear magnetic resonance study and structural calculations, 453

Wang, C.-K. & Cheung, H. C., Proximity relationship in the binary complex formed between troponin I and troponin C, 509
Wang, J. C. (see also Tse-Dinh, Y.-C.), 31
Wang, J. C. (see also Zumstein, L.), 333
Wanner, B. L., Novel regulatory mutants of the phosphate reguton in *Escherichia coli* K-12, 39
Ward, E. S. & Ellar, D. J., *Bacillus thuringiensis* var. *israelensis* δ-endotoxin. Nucleotide sequence and characterization of the transcripts in *Bacillus thuringiensis* and *Escherichia coli*, 1
Ward, E. S., Ridley, A. R., Ellar, D. J. & Todd, J. A., *Bacillus thuringiensis* var. *israelensis* δ-endotoxin. Cloning and expression of the toxin in sporogenic and asporogenic strains of *Bacillus subtilis*, 13
Ward, J. (see also Norris, G. E.), 143
Weeds, A. G. (see also Pinder, J. C.), 461
Weiner, P. K. (see also Westhof, E.), 699
Werner, S. (see also Burger, G.), 589
Westhof, E., Chevrier, B., Gallion, S. L., Weiner, P. K. & Levy, R. M., Temperature-dependent molecular dynamics and restrained X-ray refinement simulations of a *Z*-DNA hexamer, 699
Womble, D. D. & Rownd, R. H., Regulation of λdv plasmid DNA replication. A quantitative model for control of plasmid λdv replication in the bacterial cell division cycle, 367
Wray, J. S. (see also Clarke, M. L.), 581
Wrba, A. (see also Grafl, R.), 281
Wright, A. (see also Reynolds, A. E.), 85

Xia, Z.-x. (see also Lim, L. W.), 141
X-ray crystallographic structure of turnip crinkle virus at 3·2 Å resolution, 625
X-ray crystallographic study, preliminary, of methanol dehydrogenase from *Methylophilus methylotrophus*, 141
X-ray data, preliminary, for aspartate aminotransferase from *Escherichia coli*, 301
X-ray diffraction study, preliminary, of ferrocytochrome c_2 from *Rhodopseudomonas viridis*, 579
X-ray refinement simulations of a *Z*-DNA hexamer, 699

Yeast *HIS3* expresssion *Escherichia coli* depends upon fortuitous homology between eukaryotic and prokaryotic promoter elements, 221
Yeast promoters, regulated, produced by DNA rearrangements selected *in vivo*, 355
Yeast valyl-tRNA synthetase and turnip yellow mosaic virus tRNA-like structure, 117
yellow gene region of *Drosophila*, molecular analysis of insertional mutations, 573

Zobawa, M. (see also Stiege, W.), 135
Zumstein, L. & Wang, J. C., Probing the structural domains and function *in vivo* of *Escherichia coli* DNA topoisomerase I by mutagenesis, 333